

```
<?xml version="1.0"?>
<launch>
    <!-- Posix SITL environment launch script -->
    <!-- launches PX4 SITL and spawns vehicle -->
    <!-- vehicle pose -->
    <arg name="x" default="0"/>
    <arg name="y" default="0"/>
    <arg name="z" default="1.5"/>
    <arg name="R" default="0"/>
    <arg name="P" default="0"/>
    <arg name="Y" default="0"/>
    <!-- vehicle model and config -->
    <arg name="est" default="ekf2"/>
    <arg name="vehicle" default="iris"/>
    <arg name="ID" default="1"/>
    <env name="PX4_SIM_MODEL" value="$(arg vehicle)"/>
    <env name="PX4_ESTIMATOR" value="$(arg est)"/>
    <arg name="mavlink_udp_port" default="14560"/>
    <arg name="mavlink_tcp_port" default="4560"/>
    <!-- PX4 configs -->
    <arg name="interactive" default="true"/>
    <!-- generate sdf vehicle model -->
    <arg name="cmd" default="$(find mavlink_sitl_gazebo)/scripts/jinja_gen.py -->
    <!-- mavlink_udp_port=$(arg mavlink_udp_port) --mavlink_tcp_port=$(arg
    mavlink_tcp_port) $(find mavlink_sitl_gazebo)/models/$(arg vehicle)/$(arg
    vehicle).sdf.jinja $(find mavlink_sitl_gazebo)"/>
    <param command="$(arg cmd)" name="sdf_$(arg vehicle)$(arg ID)"/>
    <!-- PX4 SITL -->
    <arg unless="$(arg interactive)" name="px4_command_arg1" value="" />
    <arg if="$(arg interactive)" name="px4_command_arg1" value="-d" />
    <node name="sitl_$(arg ID)" pkg="px4" type="px4" output="screen" args="$(find
    px4)/build/px4_sitl_default/etc/init.d-posix/rcS -i $(arg ID) -w sitl_$(arg
    vehicle)_$(arg ID) $(arg px4_command_arg1)">
    </node>
    <!-- spawn vehicle -->
    <node name="$(anon vehicle_spawn)" pkg="gazebo_ros" type="spawn_model"
    output="screen" args="-sdf -param sdf_$(arg vehicle)$(arg ID) -model $(arg vehicle)
    $(arg ID) -x $(arg x) -y $(arg y) -z $(arg z) -R $(arg R) -P $(arg P) -Y $(arg Y)"/>
</launch>
```